SAFETY DATA SHEET

1. Identification

Recommended use

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

Product identifier

HP LaserJet Q7553A-X-XC-XD Print Cartridge

Other means of identification

N1---

This product is a toner preparation that is used in HP LaserJet P2014/P2015/M2727mfp series

printers.

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112

United States

Telephone

650-857-1501

े Inc. health effects line

[/]Toll-free within the US)

1-800-457-4209

_irect)

1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US)

1-800-474-6836

(Direct)

1-208-323-2551

Email:

hpcustomer.inquiries@hp.com

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Not classified.

Environmental hazards

Not classified.

OSHA defined hazards

Not classified.

Label elements

Hazard symbol

None.

Signal word

None.

Hazard statement

Not available.

Precautionary statement

Prevention

Not available.

Response

Not available.

Storage Disposal Not available.

Not available.

Hazard(s) not otherwise

classified (HNOC)

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

GHS Supplemental information

This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		CBI	<55
Ferrite including zinc		CBI	<50

Material name: Q7553A-X-XC-XD

SDS US

10085 Version #: 06 Revision date: 24-Sep-2019 Issue date: 16-Apr-2015

1/7

Chemical name Common name and synonyms CAS number % <3 Àmorphous silica Amorphous silica 7631-86-9 4. First-aid measures Inhalation Move person to fresh air immediately. If irritation persists, consult a physician. Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact develops or persists. Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact least 15 minutes or until particles are removed. If irritation persists, consult a physician. Rinse mouth out with water. Drink one to two glasses of water, If symptoms occur, consult a Ingestion Not available. Most important symptoms/effects, acute and delayed 5. Fire-fighting measures Suitable extinguishing media CO2, water, or dry chemical Unsuitable extinguishing None known. media Like most organic material in powder form, toner can form explosive dust-air mixtures when finely Specific hazards arising from dispersed in air. the chemical Not available. Special protective equipment and precautions for firefighters e fighting If fire occurs in the printer, treat as an electrical fire. quipment/instructions Jecific methods None established. 6. Accidental release measures Personal precautions, Minimize dust generation and accumulation. protective equipment and emergency procedures Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a Methods and materials for damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust containment and cleaning up explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations. **Environmental precautions** Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. 7. Handling and storage Precautions for safe handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature, Store Conditions for safe storage, away from strong oxidizers. cluding any incompatibilities ≺, Exposure controls/personal protection ccupational exposure limits US. NIOSH: Pocket Guide to Chemical Hazards Value Components Type Amorphous silica (CAS **TWA** 6 mg/m3 7631-86-9) **Biological limit values** No biological exposure limits noted for the ingredient(s). USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) **Exposure guidelines**

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection

Not available.

Skin protection

Hand protection

Not available.

Other

Not available.

Respiratory protection

Not available.

Thermal hazards

Not available.

9. Physical and chemical properties

Appearance

Fine powder

Physical state

Solid.

Form

solid

Color

Black.

Odor

Slight plastic odor

Odor threshold

Not available.

рΗ

Not applicable

Melting point/freezing point

Not available.

initial boiling point and boiling

Not applicable

range

àsh point

Not applicable

aporation rate

Not applicable

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Not available.

Flammability limit - upper (%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not applicable

Vapor density

Not applicable

Solubility(ies)

Solubility (water)

Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

Not available.

(n-octanol/water)

uto-ignition temperature

Not applicable

₽ecomposition temperature

> 392 °F (> 200 °C)

.scosity

Not applicable

Other information

Oxidizing properties

No information available.

Percent volatile

Negligible

Softening point

212 - 302 °F (100 - 150 °C)

Specific gravity

1.4 - 1.8

VOC

Not applicable

10. Stability and reactivity

Reactivity

Not available.

Chemical stability

Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid

Imaging Drum: Exposure to light

Material name: Q7553A-X-XC-XD

10085 Version #: 06 Revision date: 24-Sep-2019 Issue date: 16-Apr-2015

Incompatible materials

Hazardous decomposition products

Strong oxidizers

Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact

Contact with skin may result in mild irritation.

Eve contact

Contact with eyes may result in mild irritation.

Ingestion

Ingestion is not a likely route of exposure.

Symptoms related to the physical, chemical and

toxicological characteristics

Not available.

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Product

Species

Test Results

Q7553A-X-XC-XD

<u>Acute</u>

LD50

> 2000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

prious eye damage/eye

Based on available data, the classification criteria are not met.

itation

spiratory or skin sensitization

Respiratory sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Skin sensitization Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Test Results

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

pecific target organ toxicity -

peated exposure

Based on available data, the classification criteria are not met,

piration hazard

Based on available data, the classification criteria are not met.

Further information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity Product LL50: > 1000 mg/l, Fish, 96.00 Hours **Species**

Q7553A-X-XC-XD Aquatic ErL50 > 1000 mg/l, 72 Hours Algae Algae Crustacea **EL50** Crustacea > 1000 mg/l, 48 Hours Fish LL50 Fish > 1000 mg/l, 96 Hours

Persistence and degradability Bioaccumulative potential

Not available. Not available.

Material name: Q7553A-X-XC-XD

SDS US

10085 Version #: 06 Revision date: 24-Sep-2019 Issue date: 16-Apr-2015

4/7

Not available.

Other adverse effects

Not available.

13. Disposal considerations

Disposal instructions

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number

UN2807

UN proper shipping name

Magnetized Material

Transport hazard class(es)

Class

9

Subsidiary risk

Not available.

Packing group

No.

Environmental hazards

Special precautions for user Not available.


DG

Not regulated as dangerous goods.

πÚR

Not regulated as dangerous goods.

IATA



Further information

41or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material.

15. Regulatory information

3 federal regulations

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA,

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: Q7553A-X-XC-XD

SDS US

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Nο

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

Not applicable.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China,

16. Other information, including date of preparation or last revision

Issue date

Version #

16-Apr-2015 24-Sep-2019

Revision date

06

Other information

This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

ેclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Revision information

Identification: Important information

Material name: Q7553A-X-XC-XD

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds